GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Establishment – Engineering - PH&ME Department – Sri G.L. Gokarna Sastry, Superintending Engineer (PH) - Regularization of the waiting period of (103) days i.e., from 27.01.2017 to 09.05.2017 as compulsory wait – Orders – Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (C) DEPARTMENT

G.O.RT.No. 565 **Dated: 09-08-2017**
Read:-

From the Engineer-in-Chief (PH), Lr.No.13244/CS1/2017, Dated: 09.06.2017.

***

ORDER:

In the circumstances reported by the Engineer-in-Chief(PH), Tadepalli, Guntur District in the reference read above, Government after careful examination of the matter, hereby order that, the waiting period of (103) days i.e., from 27.01.2017 to 09.05.2017 in respect of Sri G.L.Gokarna Sastry, Superintending Engineer (PH) is regularized as compulsory wait under FR 9 (6) (b).

2. The Engineer-in-Chief (PH), Tadepalli, Guntur District shall take necessary action accordingly.

3. This order issues with the concurrence of Finance (HR.IV) Department vide their U.O.No.33021/399/HR.IV/2017, Dt.26.07.2017.

[BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH]

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief(Public Health),
Garuda Enclave, Tadepalli, Guntur District.
The individual **through** the Engineer-in-Chief(PH).

Copy to:
The Director of Treasuries & Accounts, AP., Vijayawada.
The Principal Accountant General, AP., Hyderabad.
Sf/Sc.

//Forwarded :: By Order//

SECTION OFFICER